



质量管理体系认证
已通过ISO 9001: 2015




危害性物质限制指令
通过包装材料重金属测试
和有害重金属




信心纺织品
通过有害物质检验
根据Oeko-Tex Standard 100

我们用心为您智造产品。
Smart Cover for you only .


BUTTERFLY




9B16



9B08



9B18




9B24

M.O.Q. 500 meters unless available in stock.

现货数量不够的情况下，需要500米的起定量。

BUTTERFLY

Size: 1400mmX50M




9B03

SVEPA® 斯維帕


Due to the peculiar manufacturing process of these materials, it is not possible to guarantee the perfect color uniformity between different production lots. We recommend the customers not to mix the different lots for one production.

由于产品生产工艺的特殊性，不同批次的货物不可避免的会产生色差。建议客人在制作成品时，不要将不同批次的货物混用。

BUTTERFLY




9B17



9B05



9B34



9B15

M.O.Q. 1000m for special color.
客人特殊需要1000米起定量。

BUTTERFLY



9B26



9B07

Surcharge for particular color.

某些特殊颜色收取额外费用。



<i>ata Sheet</i>				
Type of test	Unit	Along	Across	Test method
Tensile strength	kg/5cm	≥15	≥10	ISO 3376:2011
Extension at break	%	≥15	≥45	ISO 3376:2011
Tear strength	kg	≥0.8	≥0.8	ISO 3377:2011
Peel adhesion	kg/cm	≥0.4	≥0.4	GB/T8949-2008
Thickness	mm	0.75 ± 0.05		
Width	mm	≥1370		
Roll length	m	50		
Roll weight	Kg	22		
Burnishing	Temp:320-356°F / 160-180°C			
Foil Stamping	Temp:230-348°F / 110-120°C			
Composition	Leatherette made of non woven viscose and polyurethane			
Updated	01 / 03 / 19			

Above information subject to change without notice